Journal of Engineering for Gas Turbines and Power

Author Index

All authors of papers published in this volume are listed alphabetically. Full titles are included in each first author's entry. Letters in parentheses follow some of the page numbers: TB indicates Technical Brief, E indicates Errata, and D indicates Discussion.

Abhari, R. S. — (see Kielb, J. J.) **125,** 102–112
Agama, R. — (see Hiltner, J.) **125,** 837–844
Agarwal, A. K., Bijwe, J., and Das, L. M. — Effect of Biodiesel Utilization of Wear of Vital Parts in Compression Ignition Engine. **125,** 604–611
_____, **Bijwe, J., and Das, L. M.** — Wear Assessment in a Biodiesel Fueled Compression Ignition Engine. **125,** 820–826
_____, **Bijwe, J., and Das, L. M.** — Erratum: "Effect of Biodiesel Utilization of Wear of Vital Parts in Compression Ignition Engine" (ASME J. Appl. Mech. **70**, pp. 604–611, 2003). **125,** 1090(E)
Ågren, N. D., and Westermark, M. O. J. — Design Study of Part-Flow Evaporative Gas Turbine Cycles: Performance and Equipment Sizing—Part I: Aeroderivative Core. **125,** 201–215
_____, **and Westermark, M. O. J.** — Design Study of Part-Flow Evaporative Gas Turbine Cycles: Performance and Equipment Sizing—Part II: Industrial Core. **125,** 216–227
Ahn, H.-J. — (see Vázquez, J. A.) **125,** 149–155
Akikawa, N. — (see Suzuki, Y.) **125,** 28–33
Allard, K. L. — (see Glahn, A.) **125,** 1003–1010
_____ (see Glahn, A.) **125,** 1011–1020
Anderson, T. J. — (see Barooah, P.) **125,** 925–932
Arai, K. — (see Yoshizawa, K.) **125,** 555–562
Arai, N. — (see Kitagawa, K.) **125,** 326–331
Arana, C. — (see Mawid, M. A.) **125,** 270–283
Aretakis, N., Mathioudakis, K., and Stamatis, A. — Nonlinear Engine Component Fault Diagnosis From a Limited Number of Measurements Using a Combinatorial Approach. **125,** 642–650
Assanis, D. N., Filipi, Z. S., Fiveland, S. B., and Syrimis, M. — A Predictive Ignition Delay Correlation Under Steady-State and Transient Operation of a Direct Injection Diesel Engine. **125,** 450–457
_____ (see Nelson, S. A., II) **125,** 572–579
_____ (see Syrimis, M.) **125,** 494–499
_____ (see Zhang, G. Q.) **125,** 563–571
Assanis, Dennis N. — Special ICE Issue. **125,** 401
Attar, A. A., and Karim, G. A. — Knock Rating of Gaseous Fuels. **125,** 500–504

Bache , M. R. — (see Evans, W. J.) **125,** 246–251
Bache, M. R., and Evans, W. J. — Dwell Sensitive Fatigue Response of Titanium Alloys for Power Plant Applications. **125,** 241–245
Baik, S., Blanchard, J. P., and Corradini, M. L. — Development of Micro-Diesel Injector Nozzles via Microelectromechanical Systems Technology and Effects on Spray Characteristics. **125,** 427–434
Bailey, J. C., Intile, J., Fric, T. F., Tolpadi, A. K., Nirmalan, N. V., and Bunker, R. S. — Experimental and Numerical Study of Heat Transfer in a Gas Turbine Combustor Liner. **125,** 994–1002
Bandyopadhyay, B. — (see Chakrabarti, A. K.) **125,** 613–616
Barooah, P., Anderson, T. J., and Cohen, J. M. — Active Combustion Instability Control With Spinning Valve Actuator. **125,** 925–932
Barta, L. E. — (see Vermes, G.) **125,** 46–50
Becker, J., and Hassa, C. — Liquid Fuel Placement and Mixing of Genetic Aeroengine Premix Module at Different Operating Conditions. **125,** 901–908
Bedont, P., Grillo, O., and Massardo, A. F. — Off-Design Performance Analysis of a Hybrid System Based on an Existing Molten Fuel Cell Stack. **125,** 986–993
Beér, J. M. — (see Vermes, G.) **125,** 46–50
Benjamin, M. A. — (see Lee, J. C. Y.) **125,** 861–871
Bernstein, H. L. — (see McAlpin, R. L.) **125,** 236–240
Bijwe, J. — (see Agarwal, A. K.) **125,** 604–611
_____ (see Agarwal, A. K.) **125,** 820–826
_____ (see Agarwal, A. K.) **125,** 1090(E)
Bladh, R., Castanier, M. P., and Pierre, C. — Effects of Multistage Coupling and Disk Flexibility on Mistuned Bladed Disk Dynamics. **125,** 121–130
Blair, M. F. — (see Glahn, A.) **125,** 1003–1010
_____ (see Glahn, A.) **125,** 1011–1020
Blanchard, J. P. — (see Baik, S.) **125,** 427–434
Bozzolo, M., Brandani, M., Traverso, A., and Massardo, A. F. — Thermoeconomic Analysis of Gas Turbine Plants With Fuel Decarbonization and Carbon Dioxide Sequestration. **125,** 947–953
Brandani, M. — (see Bozzolo, M.) **125,** 947–953
Brasoveanu, D., and Gupta, A. K. — Enhancement of Methane-Air Mixing Using Shock and Expansion Waves. **125,** 332–335
Bryzik, W. — (see Wang, T.-C.) **125,** 412–426
Bücker, D., Span, R., and Wagner, W. — Thermodynamic Property Models for Moist Air and Combustion Gases. **125,** 374–384
Bunker, R. S. — (see Bailey, J. C.) **125,** 994–1002
Burnette, A. — (see Ubanwa, B.) **125,** 513–523
Busam, S. — (see Glahn, A.) **125,** 1003–1010
_____ (see Glahn, A.) **125,** 1011–1020
Butuk, N., and Pemba, J.-P. — Computing CHEMKIN Sensitivities Using Complex Variables. **125,** 854–858(TB)

Caceres, D., Reisel, J. R., Sklyarov, A., and Poehlman, A. — Exhaust Emission Deterioration and Combustion Chamber Deposit Composition Over the Life Cycle of Small Utility Engines. **125,** 358–364
Cali, M. — (see Traverso, A.) **125,** 972–978
Capata, R., Cioffarelli, E., and Sciubba, E. — A Gas Turbine-Based Hybrid Vehicle—Part II: Technological and Configuration Issues. **125,** 777–782
Castanier, M. P. — (see Bladh, R.) **125,** 121–130
Cavina, N., and Ponti, F. — Air Fuel Ratio Estimation Using In-Cylinder Pressure Frequency Analysis. **125,** 812–819
_____, **and Ponti, F.** — Engine Torque Nonuniformity Evaluation Using Instantaneous Crankshaft Speed Signal. **125,** 1050–1058
Cha, D., and Sinha, A. — Computation of the Optimal Normal Load of a Friction Damper Under Different Types of Excitation. **125,** 1042–1049
Chaker, M., Meher-Homji, C. B., Mee, T., III , and Nicholson, A. — Inlet Fogging of Gas Turbine Engines Detailed Climatic Analysis of Gas Turbine Evaporation Cooling Potential in the USA. **125,** 300–309

Chakrabarti, A. K., and Bandyopadhyay, B. — Controller Design for a Gas Turbine Using Periodic Output Feedback. **125,** 613–616
Chancey, V. C., Flowers, G. T., and Howard, C. L. — A Harmonic Wavelets Approach for Extracting Transient Patterns From Measured Rotor Vibration Data. **125,** 81–89
Chang, H., Nelson, D., Sipperley, C., and Edwards, C. — Development of a Temporally Modulated Fuel Injector With Controlled Spray Dynamics. **125,** 284–291
Chen, G., Flynn, P. L., Gallagher, S. M., and Dillen, E. R. — Development of the Low-Emission GE-7FDL High-Power Medium-Speed Locomotive Diesel Engine. **125,** 505–512
Chen, K., Karim, G. A., and Watson, H. C. — Experimental and Analytical Examination of the Development of Inhomogeneities and Autoignition During Rapid Compression of Hydrogen-Oxygen-Argon Mixtures. **125,** 458–465
Chenevert, B. C. — (see Kendrick, D. W.) **125,** 885–894
Choi, B.-K., Lentz, J., Rivas-Guerra, A. J., and Mignolet, M. P. — Optimization of Intentional Mistuning Patterns for the Reduction of the Forced Response Effects of Unintentional Mistuning: Formulation and Assessment. **125,** 131–140
Christensen, M. — (see Hiltner, J.) **125,** 837–844
Chun, K. M. — (see Joo, S. H.) **125,** 485–493
Cioffarelli, E. — (see Capata, R.) **125,** 777–782
Cohen, J. M. — (see Barooah, P.) **125,** 925–932
Cormier, N. G. — (see Sinclair, G. B.) **125,** 1033–1041
Corradini, M. L. — (see Baik, S.) **125,** 427–434
Cowart, J. S. — The Formation of a Combustible Mixture During the First Cycle of Cranking and Startup in a Port-Fuel-Injected Spark-Ignition Engine. **125,** 402–411
Cui, Y. Q. — (see Liu, J. J.) **125,** 292–299

Daguang, C. — (see Volponi, A. J.) **125,** 917–924
Das, L. M. — (see Agarwal, A. K.) **125,** 604–611
(see Agarwal, A. K.) **125,** 820–826
(see Agarwal, A. K.) **125,** 1090(E)
De Chant, L. J. — Subsonic Elector Nozzle Limiting Flow Conditions. **125,** 851–854(TB)
DeChoudhury, P. — (see Pettinato, B. C.) **125,** 95–101
DePold, H. — (see Volponi, A. J.) **125,** 917–924
De Santiago, O. — (see San Andrés, L.) **125,** 1026–1032
Dillen, E. R. — (see Chen, G.) **125,** 505–512
Doel, D. L. — Interpretation of Weighted-Least-Squares Gas Path Analysis Results. **125,** 624–633
Dutta, P. — (see Karim, H.) **125,** 879–884

Edwards, C. — (see Chang, H.) **125,** 284–291
Ehrich, F. F., and Jacobson, S. A. — Development of High-Speed Gas Bearings for High-Power Density Microdevices. **125,** 141–148
Ervin, J. S. — (see Widmor, N.) **125,** 34–39
Etemad, S. — (see Karim, H.) **125,** 879–884
Evans, W. J., Jones, J. P., and Bache , M. R. — High-Temperature Fatigue/Creep/Environment Interactions in Compressor Alloys. **125,** 246–251
(see Bache, M. R.) **125,** 241–245

Feng, N., and Hahn, E. J. — Identification of the Modal Parameters of a Flexibly Supported Rigid Casing. **125,** 184–192
Fiaschi, D., Lombardi, L., and Tapinassi, L. — The Recuperative-Auto Thermal Reforming and the Recuperative-Reforming Gas Turbine Power Cycles With CO_2 Removal—Part I: The Recuperative-Auto Thermal Reforming Cycle. **125,** 933–939
Filipi, Z. S. — (see Assanis, D. N.) **125,** 450–457
(see Nelson, S. A., II) **125,** 572–579
Fischer, A. — (see Polifke, W.) **125,** 20–27
Fiveland, S. B. — (see Assanis, D. N.) **125,** 450–457
Flores, R. M., McDonell, V. G., and Samuelsen, G. S. — Impact of Ethane and Propane Variation in Natural Gas on the Performance of a Model Gas Turbine Combustor. **125,** 701–708
Flowers, G. T. — (see Chancey, V. C.) **125,** 81–89
Flynn, P. L. — (see Chen, G.) **125,** 505–512
Foster, D. E. — (see Iida, M.) **125,** 472–478
Fric, T. F. — (see Bailey, J. C.) **125,** 994–1002
Fritz, J. — (see Kröner, M.) **125,** 693–700
Fritz, S. G. — (see Ubanwa, B.) **125,** 513–523
Fujikawa, T. — (see Kozuka, K.) **125,** 336–343
(see Kozuka, K.) **125,** 612(E)

Gabbrielli, R., and Singh, R. — Thermodynamic Performance Analysis of New Gas Turbine Combined Cycles With No Emissions of Carbon Dioxide. **125,** 940–946
Gallagher, S. M. — (see Chen, G.) **125,** 505–512
Gambini, M., and Vellini, M. — CO_2 Emission Abatement From Fossil Fuel Power Plants by Exhaust Gas Treatment. **125,** 365–373
Ganguli, R. — Application of Fuzzy Logic for Fault Isolation of Jet Engines. **125,** 617–623
(see Volponi, A. J.) **125,** 917–924
Gibert, C. — (see Rodrigues, F. A.) **125,** 175–183
Glahn, A., Blair, M. F., Allard, K. L., Busam, S., Schäfer, O., and Wittig, S. — Disintegration of Oil Jets Emerging From Axial Passages at the Face of a Rotating Cylinder. **125,** 1003–1010
, Blair, M. F., Allard, K. L., Busam, S., Schäfer, O., and Wittig, S. — Disintegration of Oil Films Emerging From Radial Holes in a Rotating Cylinder. **125,** 1011–1020
Glickstein, M. R. — (see Van Griethuysen, V. J.) **125,** 263–269
Grace, D., and Scheibel, J. — Technical Risks and Mitigation Measures in Combustion Turbine Project Development. **125,** 228–235
Griffin, J. H. — (see Kenyon, J. A.) **125,** 113–120
(see Marugabandhu, P.) **125,** 772–776
Grillo, O. — (see Bedont, P.) **125,** 986–993
Groneck, D., and Harmon, D. — Design Development of Unitized Titanium Structure. **125,** 252–256
Guenette, G. R. — (see Kirk, D. R.) **125,** 751–759
Gulwadi, S. D. — (see Piao, Y.) **125,** 1081–1089
Gupta, A. K. — (see Brasoveanu, D.) **125,** 332–335
(see Kitagawa, K.) **125,** 326–331

Hahn, E. J. — (see Feng, N.) **125,** 184–192
Hales, R. L. — (see Li, Y. G.) **125,** 961–971
Han, D.-C. — (see Vázquez, J. A.) **125,** 149–155
Han, J.-S. — (see Wang, T.-C.) **125,** 412–426
Harigaya, Y., Suzuki, M., and Takiguchi, M. — Analysis of Oil Film Thickness on a Piston Ring of Diesel Engine: Effect of Oil Film Temperature. **125,** 596–603
Harmon, D. — (see Groneck, D.) **125,** 252–256
Hasegawa, T., Hisamatsu, T., Katsuki, Y., Sato, M., Koizumi, H., Hayashi, A., and Kobayashi, N. — Development of Low NO_x Combustion Technology in Medium-Btu Fueled 1300°C-Class Gas Turbine Combustor in an Integrated Coal Gasification Combined Cycle. **125,** 1–10
Hassa, C., Heinze, J., and Stursberg, K. — Investigation of the Response of an Air Blast Atomizer Combustion Chamber Configuration on Forced Modulation of Air Feed at Realistic Operating Conditions. **125,** 872–878
(see Becker, J.) **125,** 901–908
Hayashi, A. — (see Hasegawa, T.) **125,** 1–10
Hayashi, M. — (see Iida, M.) **125,** 472–478
Heinze, J. — (see Hassa, C.) **125,** 872–878
Henein, N. A. — (see Wang, T.-C.) **125,** 412–426
Hiltner, J., Agama, R., Mauss, F., Johansson, B., and Christensen, M. — Homogeneous Charge Compression Ignition Operation With Natural Gas: Fuel Composition Implications. **125,** 837–844
Hirata, H. — (see Nakagaki, T.) **125,** 391–397

Hisamatsu, T. — (see Hasegawa, T.) **125,** 1–10
Hodge, E. S. — (see Van Griethuysen, V. J.) **125,** 263–269
Holm, R. E. — (see McAlpin, R. L.) **125,** 236–240
Howard, C. L. — (see Chancey, V. C.) **125,** 81–89
Hribernik, A. — (see Katrašnik, T.) **125,** 590–595
Huang, H. — (see Spadaccini, L. J.) **125,** 686–692
Huang, Z., Shiga, S., Ueda, T., Nakamura, H., Ishima, T., Obokata, T., Tsue, M., and Kono, M. — Effect of Fuel Injection Timing Relative to Ignition Timing on the Natural-Gas Direct-Injection Combustion. **125,** 783–790
Hübner, W. A. — (see Vanoverberghe, K. P.) **125,** 40–45
Hutchins, T. E., and Metghalchi, M. — Energy and Exergy Analyses of the Pulse Detonation Engine. **125,** 1075–1080

Iannetti, A. C. — (see Yang, S. L.) **125,** 1059–1065
Iida, M., Hayashi, M., Foster, D. E., and Martin, J. K. — Characteristics of Homogeneous Charge Compression Ignition (HCCI) Engine Operation for Variations in Compression Ratio, Speed, and Intake Temperature While Using n-Butane as a Fuel. **125,** 472–478
Iiyama, A. — (see Yoshizawa, K.) **125,** 555–562
Imlach, J. — (see Marshall, J. T.) **125,** 90–94
Intile, J. — (see Bailey, J. C.) **125,** 994–1002
Ishima, T. — (see Huang, Z.) **125,** 783–790

Jacobson, S. A. — (see Ehrich, F. F.) **125,** 141–148
Jezequel, L. — (see Rodrigues, F. A.) **125,** 175–183
Jiang, H. D. — (see Liu, J. J.) **125,** 292–299
Johansson, B. — (see Hiltner, J.) **125,** 837–844
Jones, J. P. — (see Evans, W. J.) **125,** 246–251
Joo, S. H., Chun, K. M., Shin, Y., and Lee, K. C. — An Investigation of Flame Expansion Speed With a Strong Swirl Motion Using High-Speed Visualization. **125,** 485–493

Kaemming, T. — Integrated Vehicle Comparison of Turbo-Ramjet Engine and Pulsed Detonation Engine. **125,** 257–262
Kang, M. — (see Kong, C.) **125,** 979–985
Karim, G. A. — Combustion in Gas Fueled Compression: Ignition Engines of the Dual Fuel Type. **125,** 827–836
——— (see Attar, A. A.) **125,** 500–504
——— (see Chen, K.) **125,** 458–465
Karim, H., Lyle, K., Etemad, S., Smith, L. L., Pfefferle, W., Dutta, P., and Smith, K. — Advanced Catalytic Pilot for Low NO_x Industrial Gas Turbines. **125,** 879–884
Kasarda, M. E. F. — (see Marshall, J. T.) **125,** 90–94
Katrašnik, T., Rodman, S., Trenc, F., Hribernik, A., and Medica, V. — Improvement of the Dynamic Characteristic of an Automotive Engine by a Turbocharger Assisted by an Electric Motor. **125,** 590–595
Katsuki, Y. — (see Hasegawa, T.) **125,** 1–10
Kawamoto, K. — (see Nakagaki, T.) **125,** 391–397
Kawano, M. — (see Suzuki, Y.) **125,** 28–33
Kendrick, D. W., Chenevert, B. C., Trueblood, B., Tonouchi, J., Lawlor, S. P., and Steele, R. — Combustion System Development for the Ramgen Engine. **125,** 885–894
Kenyon, J. A., and Griffin, J. H. — Forced Response of Turbine Engine Bladed Disks and Sensitivity to Harmonic Mistuning. **125,** 113–120
Ki, J. — (see Kong, C.) **125,** 979–985
Kidoguchi, Y., Sanda, M., and Miwa, K. — Experimental and Theoretical Optimization of Combustion Chamber and Fuel Distribution for the Low Emission Direct-Injection Diesel Engine. **125,** 351–357
Kielb, J. J., and Abhari, R. S. — Experimental Study of Aerodynamic and Structural Damping in a Full-Scale Rotating Turbine. **125,** 102–112
Kim, D.-G. — (see Stephens, L. S.) **125,** 156–166
Kim, J. H., Kim, T. S., Sohn, J. L., and Ro, S. T. — Comparative Analysis of Off-Design Performance Characteristics of Single and Two-Shaft Industrial Gas Turbines. **125,** 954–960
Kim, N., Park, S.-Y., and Rhode, D. L. — Predicted Effects of Shunt Injection on the Rotordynamics of Gas Labyrinth Seals. **125,** 167–174
Kim, T. S. — (see Kim, J. H.) **125,** 954–960
Kimura, S. — (see Yoshizawa, K.) **125,** 1066–1074
Kirk, D. R., Guenette, G. R., Lukachko, S. P., and Waitz, I. A. — Gas Turbine Engine Durability Impacts of High Fuel-Air Ratio Combustors—Part II: Near-Wall Reaction Effects on Film-Cooled Heat Transfer. **125,** 751–759
——— (see Lukachko, S. P.) **125,** 742–750
Kishan, S. — (see Ubanwa, B.) **125,** 513–523
Kitagawa, K., Konishi, N., Arai, N., and Gupta, A. K. — Temporally Resolved Two-Dimensional Spectroscopic Study on the Effect of Highly Preheated and Low Oxygen Concentration Air on Combustion. **125,** 326–331
Kobayashi, N. — (see Hasegawa, T.) **125,** 1–10
Koch, R. — (see Schäfer, O.) **125,** 670–676
Koizumi, H. — (see Hasegawa, T.) **125,** 1–10
Kong, C., Ki, J., and Kang, M. — A New Scaling Method for Component Maps of Gas Turbine Using System Identification. **125,** 979–985
Konishi, N. — (see Kitagawa, K.) **125,** 326–331
Kono, M. — (see Huang, Z.) **125,** 783–790
Kosály, G. — (see Martin, S. M.) **125,** 895–900
Kozuka, K., Ozasa, T., Fujikawa, T., and Saito, A. — Schlieren Observation of Spark-Ignited Premixed Charge Combustion Phenomena Using a Transparent Collimating Cylinder Engine. **125,** 336–343
———, **Ozasa, T., Fujikawa, T., and Saito, A.** — Errata: "Schlieren Observation of Spark-Ignited Premixed Charge Combustion Phenomena Using a Transparent Collimating Cylinder Engine" [ASME J. Eng. Gas Turbines Power, 2003, **125**, pp. 336–343]. **125,** 612(E)
Kraft, M. — (see Maigaard, P.) **125,** 466–471
Kramlich, J. C. — (see Martin, S. M.) **125,** 895–900
Kröner, M., Fritz, J., and Sattelmayer, T. — Flashback Limits for Combustion Induced Vortex Breakdown in a Swirl Burner. **125,** 693–700
Kyriakis, N., Manikas, T., Pistikopoulos, P., and Vouitsis, E. — Endothermic Phenomena in Diesel Particulate Filters During Regeneration. **125,** 845–850
Kyrtatos, N. P. — (see Theotokatos, G.) **125,** 580–589

Lai, M.-C. — (see Wang, T.-C.) **125,** 412–426
Lampart, P., and Yershov, S. — Direct Constrained Computational Fluid Dynamics Based Optimization of Three-Dimensional Blading for the Exit Stage of a Large Power Steam Turbine. **125,** 385–390
Lawlor, S. P. — (see Kendrick, D. W.) **125,** 885–894
Lee, J. — (see Spadaccini, C. M.) **125,** 709–719
Lee, J. C. Y., Malte, P. C., and Benjamin, M. A. — Low NO_x Combustion for Liquid Fuels: Atmospheric Pressure Experiments Using a Staged Prevaporizer-Premixer. **125,** 861–871
Lee, K. C. — (see Joo, S. H.) **125,** 485–493
Lee, T., and Reitz, R. D. — Response Surface Method Optimization of a High-Speed Direct-Injection Diesel Engine Equipped With a Common Rail Injection System. **125,** 541–546
Lentz, J. — (see Choi, B.-K.) **125,** 131–140
Li, Y. G., and Hales, R. L. — Steady and Dynamic Performance and Emissions of a Variable Geometry Combustor in a Gas Turbine Engine. **125,** 961–971

Liu, J. J., Cui, Y. Q., and Jiang, H. D. — Investigation of Flow in a Steam Turbine Exhaust Hood With/Without Turbine Exit Conditions Simulated. **125,** 292–299
Lombardi, L. — (see Fiaschi, D.) **125,** 933–939
Lu, Q.-S. — (see Wang, S.-M.) **125,** 766–771
Lukachko, S. — (see Spadaccini, C. M.) **125,** 709–719
Lukachko, S. P., Kirk, D. R., and Waitz, I. A. — Gas Turbine Engine Durability Impacts of High Fuel-Air Ratio Combustors—Part I: Potential for Secondary Combustion of Partially Reacted Fuel. **125,** 742–750
_____ (see Kirk, D. R.) **125,** 751–759
Lundberg, W. L., Veyo, S. E., and Moeckel, M. D. — A High-Efficiency Solid Oxide Fuel Cell Hybrid Power System Using the Mercury 50 Advanced Turbine Systems Gas Turbine. **125,** 51–58
Lyle, K. — (see Karim, H.) **125,** 879–884

Maigaard, P., Mauss, F., and Kraft, M. — Homogeneous Charge Compression Ignition Engine: A Simulation Study on the Effects of Inhomogeneities. **125,** 466–471
Malpica, F., Moreno, N., and Tremante, A. — The Two-Flux Model Applied to Radiative Transfer and Forced Convection in the Laminar Boundary Layer on a Flat Plate. **125,** 734–741
Malte, P. C. — (see Lee, J. C. Y.) **125,** 861–871
Manikas, T. — (see Kyriakis, N.) **125,** 845–850
Marshall, J. T., Kasarda, M. E. F., and Imlach, J. — A Multipoint Measurement Technique for the Enhancement of Force Measurement With Active Magnetic Bearings. **125,** 90–94
Martin, J. K. — (see Iida, M.) **125,** 472–478
Martin, S. M., Kramlich, J. C., Kosály, G., and Riley, J. J. — The Premixed Conditional Moment Closure Method Applied to Idealized Lean Premixed Gas Turbine Combustors. **125,** 895–900
Martucci, A., and Volponi, A. J. — Fuzzy Fuel Flow Selection Logic for a Real Time Embedded Full Authority Digital Engine Control. **125,** 909–916
Marugabandhu, P., and Griffin, J. H. — A Reduced-Order Model for Evaluating the Effect of Rotational Speed on the Natural Frequencies and Mode Shapes of Blades. **125,** 772–776
Maslen, E. H. — (see Vázquez, J. A.) **125,** 149–155
Massardo, A. F. — Internal Reforming Solid Oxide Fuel Cell Gas Turbine Combined Cycles (IRSOFC-GT)—Part II: Exergy and Thermoeconomic Analyses. **125,** 67–74
_____ (see Bedont, P.) **125,** 986–993
_____ (see Bozzolo, M.) **125,** 947–953
_____ (see Traverso, A.) **125,** 972–978
Matayoshi, Y. — (see Yoshizawa, K.) **125,** 1066–1074
Mathioudakis, K. — (see Aretakis, N.) **125,** 642–650
_____ (see Romesis, C.) **125,** 634–641
Matsuda, Y. — (see Suzuki, Y.) **125,** 28–33
Mauss, F. — (see Hiltner, J.) **125,** 837–844
_____ (see Maigaard, P.) **125,** 466–471
Mawid, M. A., Park, T. W., Sekar, B., and Arana, C. — Application of Pulse Detonation Combustion to Turbofan Engines. **125,** 270–283
Maziasz, P. J., and Swindeman, R. W. — Selecting and Developing Advanced Alloys for Creep-Resistance for Microturbine Recuperator Applications. **125,** 310–315
McAlpin, R. L., Talley, P. L., Bernstein, H. L., and Holm, R. E. — Failure Analysis of Inlet Guide Vanes. **125,** 236–240
McDonell, V. G. — (see Flores, R. M.) **125,** 701–708
Medica, V. — (see Katrašnik, T.) **125,** 590–595
Medisetty, V. C. — (see Shamim, T.) **125,** 547–554
Mee, T., III — (see Chaker, M.) **125,** 300–309
Meher-Homji, C. B. — (see Chaker, M.) **125,** 300–309
Mehra, A. — (see Spadaccini, C. M.) **125,** 709–719
Menon, S. — (see Sone, K.) **125,** 435–443
Metghalchi, M. — (see Hutchins, T. E.) **125,** 1075–1080
Mignolet, M. P. — (see Choi, B.-K.) **125,** 131–140
Miwa, K. — (see Kidoguchi, Y.) **125,** 351–357
Moeckel, M. D. — (see Lundberg, W. L.) **125,** 51–58
Moliere, M. — (see Rocca, E.) **125,** 664–669
Moreno, N. — (see Malpica, F.) **125,** 734–741
Mori, K. — (see Yoshizawa, K.) **125,** 555–562
_____ (see Yoshizawa, K.) **125,** 1066–1074

Nakagaki, T., Ogawa, T., Hirata, H., Kawamoto, K., Ohashi, Y., and Tanaka, K. — Development of Chemically Recuperated Micro Gas Turbine. **125,** 391–397
Nakamura, H. — (see Huang, Z.) **125,** 783–790
Nalim, M. R. — (see Pekkan, K.) **125,** 720–733
Nelson, D. — (see Chang, H.) **125,** 284–291
Nelson, S. A., II , Filipi, Z. S., and Assanis, D. N. — The Use of Neural Nets for Matching Fixed or Variable Geometry Compressors With Diesel Engines. **125,** 572–579
Nichol, K. L. — Assessment of Current Turbine Engine High Cycle Fatigue Test Methods. **125,** 760–765
Nicholson, A. — (see Chaker, M.) **125,** 300–309
Nirmalan, N. V. — (see Bailey, J. C.) **125,** 994–1002

Obokata, T. — (see Huang, Z.) **125,** 783–790
Ogawa, T. — (see Nakagaki, T.) **125,** 391–397
Ohashi, Y. — (see Nakagaki, T.) **125,** 391–397
Ozasa, T. — (see Kozuka, K.) **125,** 336–343
_____ (see Kozuka, K.) **125,** 612(E)

Pankiewitz, C., and Sattelmayer, T. — Time Domain Simulation of Combustion Instabilities in Annular Combustors. **125,** 677–685
Park, S.-Y., and Rhode, D. L. — Predicted Geometry Effects on Oil Vapor Flow Through Buffer-Gas Labyrinth Seals. **125,** 193–200
_____, **and Rhode, D. L.** — Predicted Effects of Bearing Sump and Injection Pressures on Oil Labyrinth Leakage. **125,** 316–325
_____ (see Kim, N.) **125,** 167–174
Park, T. W. — (see Mawid, M. A.) **125,** 270–283
Pekkan, K., and Nalim, M. R. — Two-Dimensional Flow and NO_x Emissions in Deflagrative Internal Combustion Wave Rotor Configurations. **125,** 720–733
Pemba, J.-P. — (see Butuk, N.) **125,** 854–858(TB)
Penko, P. F. — (see Yang, S. L.) **125,** 1059–1065
Peschke, B. D. — (see Yang, S. L.) **125,** 804–811
Pettinato, B. C., and DeChoudhury, P. — Rotordynamic and Bearing Upgrade of a High-Speed Turbocharger. **125,** 95–101
Pfefferle, W. — (see Karim, H.) **125,** 879–884
Philippopoulos, C. J. — (see Poulopoulos, S. G.) **125,** 344–350
Piao, Y., and Gulwadi, S. D. — Numerical Investigation of the Effects of Axial Cylinder Bore Profiles on Piston Ring Radial Dynamics. **125,** 1081–1089
Pierre, C. — (see Bladh, R.) **125,** 121–130
Pilidis, P. — (see Zwebek, A.) **125,** 651–657
_____ (see Zwebek, A.) **125,** 658–663
Pistikopoulos, P. — (see Kyriakis, N.) **125,** 845–850
Poehlman, A. — (see Caceres, D.) **125,** 358–364
Polifke, W., Fischer, A., and Sattelmayer, T. — Instability of a Premix Burner With Nonmonotonic Pressure Drop Characteristic. **125,** 20–27
Ponti, F. — (see Cavina, N.) **125,** 812–819
_____ (see Cavina, N.) **125,** 1050–1058
Poola, R. B., and Sekar, R. — Reduction of NO_x and Particulate Emissions by Using Oxygen-Enriched Combustion Air in a Locomotive Diesel Engine. **125,** 524–533
Poulopoulos, S. G., and Philippopoulos, C. J. — The Effect of Adding Oxygenated Compounds to Gasoline on Automotive Exhaust Emissions. **125,** 344–350

Rao, A. D., and Samuelsen, G. S. — A Thermodynamic Analysis of Tubular Solid Oxide Fuel Cell Based Hybrid Systems. **125,** 59–66
Reisel, J. R. — (see Caceres, D.) **125,** 358–364
Reitz, R. D. — (see Lee, T.) **125,** 541–546
_____ (see Tanner, F. X.) **125,** 534–540
Rhode, D. L. — (see Kim, N.) **125,** 167–174
_____ (see Park, S.-Y.) **125,** 193–200
_____ (see Park, S.-Y.) **125,** 316–325
Riley, J. J. — (see Martin, S. M.) **125,** 895–900
Rivas-Guerra, A. J. — (see Choi, B.-K.) **125,** 131–140
Ro, S. T. — (see Kim, J. H.) **125,** 954–960
Rocca, E., Steinmetz, P., and Moliere, M. — Revisiting the Inhibition of Vanadium-Induced Hot Corrosion in Gas Turbines. **125,** 664–669
Rodman, S. — (see Katrašnik, T.) **125,** 590–595
Rodrigues, F. A., Thouverez, F., Gibert, C., and Jezequel, L. — Chebyshev Polynomials Fits for Efficient Analysis of Finite Length Squeeze Film Damped Rotors. **125,** 175–183
Romesis, C., and Mathioudakis, K. — Setting Up of a Probabilistic Neural Network for Sensor Fault Detection Including Operation With Component Faults. **125,** 634–641

Saito, A. — (see Kozuka, K.) **125,** 336–343
_____ (see Kozuka, K.) **125,** 612(E)
Samuelsen, G. S. — (see Flores, R. M.) **125,** 701–708
_____ (see Rao, A. D.) **125,** 59–66
San Andrés, L., and De Santiago, O. — Imbalance Response of a Rotor Supported on Flexure Pivot Tilting Pad Journal Bearings in Series With Integral Squeeze Film Dampers. **125,** 1026–1032
Sanda, M. — (see Kidoguchi, Y.) **125,** 351–357
Santarelli, M. — (see Traverso, A.) **125,** 972–978
Santos, I. F., and Scalabrin, A. — Control System Design for Active Lubrication With Theoretical and Experimental Examples. **125,** 75–80
Sato, M. — (see Hasegawa, T.) **125,** 1–10
Satoh, T. — (see Suzuki, Y.) **125,** 28–33
Sattelmayer, T. — Influence of the Combustor Aerodynamics on Combustion Instabilities From Equivalence Ratio Fluctuations. **125,** 11–19
_____ (see Kröner, M.) **125,** 693–700
_____ (see Pankiewitz, C.) **125,** 677–685
_____ (see Polifke, W.) **125,** 20–27
Scalabrin, A. — (see Santos, I. F.) **125,** 75–80
Schäfer, O., Koch, R., and Wittig, S. — Flashback in Lean Prevaporized Premixed Combustion: Nonswirling Turbulent Pipe Flow Study. **125,** 670–676
_____ (see Glahn, A.) **125,** 1003–1010
_____ (see Glahn, A.) **125,** 1011–1020
Scheibel, J. — (see Grace, D.) **125,** 228–235
Schwarz, E. — (see Wang, T.-C.) **125,** 412–426
Sciubba, E. — (see Capata, R.) **125,** 777–782
Sekar, B. — (see Mawid, M. A.) **125,** 270–283
Sekar, R. — (see Poola, R. B.) **125,** 524–533
Shamim, T., and Medisetty, V. C. — Dynamic Response of Automotive Catalytic Converters to Variations in Air-Fuel Ratio. **125,** 547–554
Shiga, S. — (see Huang, Z.) **125,** 783–790
Shin, Y. — (see Joo, S. H.) **125,** 485–493
Sierens, R., and Verhelst, S. — Influence of the Injection Parameters on the Efficiency and Power Output of a Hydrogen Fueled Engine. **125,** 444–449
_____ (see Willems, H.) **125,** 479–484
Sinclair, G. B., and Cormier, N. G. — Contact Stresses in Dovetail Attachments: Alleviation via Precision Crowning. **125,** 1033–1041
Singh, R. — (see Gabbrielli, R.) **125,** 940–946
Sinha, A. — (see Cha, D.) **125,** 1042–1049
Siow, Y. K. — (see Yang, S. L.) **125,** 804–811
_____ (see Yang, S. L.) **125,** 1059–1065
Sipperley, C. — (see Chang, H.) **125,** 284–291
Sklyarov, A. — (see Caceres, D.) **125,** 358–364
Smith, K. — (see Karim, H.) **125,** 879–884
Smith, L. L. — (see Karim, H.) **125,** 879–884
Sohn, J. L. — (see Kim, J. H.) **125,** 954–960
Sone, K., and Menon, S. — Effect of Subgrid Modeling on the In-Cylinder Unsteady Mixing Process in a Direct Injection Engine. **125,** 435–443
Spadaccini, C. M., Mehra, A., Lee, J., Zhang, X., Lukachko, S., and Waitz, I. A. — High Power Density Silicon Combustion Systems for Micro Gas Turbine Engines. **125,** 709–719
Spadaccini, L. J., and Huang, H. — On-Line Fuel Deoxygenation for Coke Suppression. **125,** 686–692
Span, R. — (see Bücker, D.) **125,** 374–384
Stamatis, A. — (see Aretakis, N.) **125,** 642–650
Steele, R. — (see Kendrick, D. W.) **125,** 885–894
Steinmetz, P. — (see Rocca, E.) **125,** 664–669
Stephens, L. S., and Kim, D.-G. — Dynamic Modeling and Validation of a Lorentz, Self-Bearing Motor Test Rig. **125,** 156–166
Stursberg, K. — (see Hassa, C.) **125,** 872–878
Suzuki, M. — (see Harigaya, Y.) **125,** 596–603
Suzuki, Y., Satoh, T., Kawano, M., Akikawa, N., and Matsuda, Y. — Combustion Test Results of an Uncooled Combustor With Ceramic Matrix Composite Liner. **125,** 28–33
Swindeman, R. W. — (see Maziasz, P. J.) **125,** 310–315
Syrimis, M., and Assanis, D. N. — Knocking Cylinder Pressure Data Characteristics in a Spark-Ignition Engine. **125,** 494–499
_____ (see Assanis, D. N.) **125,** 450–457

Tacina, R. R. — (see Yang, S. L.) **125,** 804–811
_____ (see Yang, S. L.) **125,** 1059–1065
Takiguchi, M. — (see Harigaya, Y.) **125,** 596–603
Talley, P. L. — (see McAlpin, R. L.) **125,** 236–240
Tanaka, K. — (see Nakagaki, T.) **125,** 391–397
Tanner, F. X., Zhu, G.-S., and Reitz, R. D. — A Nonequilibrium Turbulence Dissipation Correction and Its Influence on Pollution Predictions for DI Diesel Engines. **125,** 534–540
Tapinassi, L. — (see Fiaschi, D.) **125,** 933–939
Taraza, D. — Statistical Correlation Between the Crankshaft's Speed Variation and Engine Performance—Part I: Theoretical Model. **125,** 791–796
_____ Statistical Correlation Between the Crankshaft's Speed Variation and Engine Performance—Part II: Detection of Deficient Cylinders and Mean Indicated Pressure Calculation. **125,** 797–803
Teo, C. Y. — (see Yang, S. L.) **125,** 1059–1065
Theotokatos, G., and Kyrtatos, N. P. — Investigation of a Large High-Speed Diesel Engine Transient Behavior Including Compressor Surging and Emergency Shutdown. **125,** 580–589
Thouverez, F. — (see Rodrigues, F. A.) **125,** 175–183
Tolpadi, A. K. — (see Bailey, J. C.) **125,** 994–1002
Tonouchi, J. — (see Kendrick, D. W.) **125,** 885–894
Traverso, A., Massardo, A. F., Santarelli, M., and Cali, M. — A New Generalized Carbon Exergy Tax: An Effective Rule to Control Global Warming. **125,** 972–978
_____ (see Bozzolo, M.) **125,** 947–953
Tremante, A. — (see Malpica, F.) **125,** 734–741
Trenc, F. — (see Katrašnik, T.) **125,** 590–595
Trueblood, B. — (see Kendrick, D. W.) **125,** 885–894
Tsue, M. — (see Huang, Z.) **125,** 783–790
Tummers, M. J. — (see Vanoverberghe, K. P.) **125,** 40–45
Twizell, E. H. — (see Wang, S.-M.) **125,** 766–771

Ubanwa, B., Burnette, A., Kishan, S., and Fritz, S. G. — Exhaust Particulate Matter Emission Factors and Deterioration Rate for In-Use Motor Vehicles. **125,** 513–523
Ueda, T. — (see Huang, Z.) **125,** 783–790

Van den Bulck, E. V. — (see Vanoverberghe, K. P.) **125,** 40–45
Vangness, M. — (see Widmor, N.) **125,** 34–39
Van Griethuysen, V. J., Glickstein, M. R., and Hodge, E. S. — Integrating Subsystems and Engine System Assessments. **125,** 263–269
Vanoverberghe, K. P., Van den Bulck, E. V., Tummers, M. J., and Hübner, W. A. — Multiflame Patterns in Swirl-Driven Partially Premixed Natural Gas Combustion. **125,** 40–45
Vázquez, J. A., Maslen, E. H., Ahn, H.-J., and Han, D.-C. — Model Identification of a Rotor With Magnetic Bearings. **125,** 149–155
Vellini, M. — (see Gambini, M.) **125,** 365–373
Verhelst, S. — (see Sierens, R.) **125,** 444–449
Vermes, G., Barta, L. E., and Beér, J. M. — Low NO_x Emission From an Ambient Pressure Diffusion Flame Fired Gas Turbine Cycle (APGC). **125,** 46–50
Veyo, S. E. — (see Lundberg, W. L.) **125,** 51–58
Volponi, A. J., DePold, H., Ganguli, R., and Daguang, C. — The Use of Kalman Filter and Neural Network Methodologies in Gas Turbine Performance Diagnostics: A Comparative Study. **125,** 917–924
_____ (see Martucci, A.) **125,** 909–916
Vouitsis, E. — (see Kyriakis, N.) **125,** 845–850

Wagner, W. — (see Bücker, D.) **125,** 374–384
Waitz, I. A. — (see Kirk, D. R.) **125,** 751–759
_____ (see Lukachko, S. P.) **125,** 742–750
_____ (see Spadaccini, C. M.) **125,** 709–719
Wang, S.-M., Lu, Q.-S., and Twizell, E. H. — Reducing Lateral Vibration of a Rotor Passing Through Critical Speeds by Phase Modulating. **125,** 766–771
Wang, T.-C., Han, J.-S., Xie, X.-B., Lai, M.-C., Henein, N. A., Schwarz, E., and Bryzik, W. — Parametric Characterization of High-Pressure Diesel Fuel Injection Systems. **125,** 412–426
Watson, H. C. — (see Chen, K.) **125,** 458–465
Westermark, M. O. J. — (see Ågren, N. D.) **125,** 201–215
_____ (see Ågren, N. D.) **125,** 216–227
Wicks, B. — (see Zhuang, W.) **125,** 1021–1025
Widmor, N., Ervin, J. S., Zabarnick, S., and Vangness, M. — Studies of Jet Fuel Freezing by Differential Scanning Calorimetry and Cold-Stage Microscopy. **125,** 34–39
Willems, H., and Sierens, R. — Modeling the Initial Growth of the Plasma and Flame Kernel in SI Engines. **125,** 479–484
Wittig, S. — (see Glahn, A.) **125,** 1003–1010
_____ (see Glahn, A.) **125,** 1011–1020
_____ (see Schäfer, O.) **125,** 670–676

Xie, X.-B. — (see Wang, T.-C.) **125,** 412–426

Yang, S. L., Siow, Y. K., Peschke, B. D., and Tacina, R. R. — Numerical Study of Nonreacting Gas Turbine Combustor Swirl Flow Using Reynolds Stress Model. **125,** 804–811
_____, **Siow, Y. K., Teo, C. Y., Tacina, R. R., Iannetti, A. C., and Penko, P. F.** — Numerical Study of Lean-Direct Injection Combustor With Discrete-Jet Swirlers Using Reynolds Stress Model. **125,** 1059–1065
Yershov, S. — (see Lampart, P.) **125,** 385–390
Yoshizawa, K., Mori, K., Arai, K., and Iiyama, A. — Numerical Analysis of Unsteady Exhaust Gas Flow and Its Application for Lambda Control Improvement. **125,** 555–562
_____, **Mori, K., Matayoshi, Y., and Kimura, S.** — Development of an Exhaust Recirculation Distribution Prediction Method Using Three-Dimensional Flow Analysis and Its Application. **125,** 1066–1074

Zabarnick, S. — (see Widmor, N.) **125,** 34–39
Zhang, G. Q., and Assanis, D. N. — Manifold Gas Dynamics Modeling and Its Coupling With Single-Cylinder Engine Models Using Simulink. **125,** 563–571
Zhang, X. — (see Spadaccini, C. M.) **125,** 709–719
Zhu, G.-S. — (see Tanner, F. X.) **125,** 534–540
Zhuang, W., and Wicks, B. — Mechanical Surface Treatment Technologies for Gas Turbine Engine Components. **125,** 1021–1025
Zwebek, A., and Pilidis, P. — Degradation Effects on Combined Cycle Power Plant Performance—Part I: Gas Turbine Cycle Component Degradation Effects. **125,** 651–657
_____, **and Pilidis, P.** — Degradation Effects on Combined Cycle Power Plant Performance—Part II: Steam Turbine Cycle Component Degradation Effects. **125,** 658–663